

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JAN 4 1961

Returned to applicant for correction.....

Corrected application filed.....

Map filed JAN 4 1961

The applicant Cornelius and Mary Lou Snip
of Las Vegas, County of Clark

State of Nevada, hereby make.... application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (Underground)
Name of stream, lake or other source.

2. The amount of water applied for is 0.40 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for Commercial (health spa & recreation) and domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 11. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 16, Township 22 South, Range 61 East, M.D.B.&M., or at a point from which the West
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
 $\frac{1}{4}$ corner of said Section 16 bears North 15°40'18" West a distance of
it should be stated. 797.44 feet.

6. Place of use NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 16, Township 22 South, Range 61 East,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
M.D.B.&M.

7. Use will begin about January 1st and end about December 31st, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well 8 inch casing with
miscellaneous size pipes to point of use.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$5,000.00.....

10. Estimated time required to construct works.....60 days.....

11. Remarks.....The applicants wish to use this water for healthful purposes, rehabilitation, physical therapy and recreational facilities. It is planned to construct an inside pool approximately 20 x 40 ft. that will be 5 ft. in depth at the deepest end, and two inside shallow pools approximately 20 ft x 40 ft. There is also to be an outside swimming pool approximately 50 ft. x 100 ft. that will be 8 ft in the deepest end. It is the plan to develop a health spa, with clinical facilities, treatment rooms, doctors offices, dressing rooms, recovery rooms and a snack bar.....

Applicant.....CORNELIUS AND MARY LOU SNIP

By.....s/ L. E. Tyson.....

Compared.....hs/lb.....bw/hs.....

L. E. Tyson - State Water Rights Surveyor.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation when water is available from the Las Vegas Valley Water District, and is limited to what the well will produce but not to exceed 0.40 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times. This permit is also issued subject to compliance with (1) Regulations of the Health Department. (2) The Food, Drug and Cosmetic Acts.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.40.....cubic feet per second.....

Actual construction work shall begin on or before.....May 1, 1962.....

Proof of commencement of work shall be filed before.....June 1, 1962.....

Work must be prosecuted with reasonable diligence and be completed on or before.....May 1, 1963.....

Proof of completion of work shall be filed before.....June 1, 1963.....

Application of water to beneficial use shall be made on or before.....May 1, 1964.....

Proof of the application of water to beneficial use shall be filed on or before.....June 1, 1964.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....JUN 14 1963.....

Completion of work filed.....JUN 14 1963.....

Proof of beneficial use filed.....

Cultural map filed.....JUL 7 1963.....

WITNESS MY HAND AND SEAL this.....1st.....day

of.....November....., 1961.....

Edmund A. Muth
State Engineer.

CANCELLED
APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Roland P. Westergaard
218 (Rev.)
STATE ENGINEER